



HOMEOPATHIC PERSPECTIVES ON DERMATOME

DYNAMIC: A REVIEW STUDY

Ishwarya.M¹, Sibin R.A²

¹Final year BHMS, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamilnadu Dr. M.G.R Medical University, Chennai), Tamil nadu – 629161.

²Assistant Professor, Department Of Organon Of Medicine, Sarada Krishna Homoeopathic medical college, (Affiliated to The Tamilnadu Dr. M.G.R Medical University, Chennai), Tamil nadu – 629161.

ARTICLE INFO:

Article History:

Received On: 18/11/2024

Accepted On: 22/12/2024

Published On: 30/12/2024

eISSN No: 3048-6270

DOI:

<https://doi.org/10.59939/3048-6270.2024.v2.i4.5>

Website:

<https://www.homoeopathicchronicles.com/archives/volume-ii-issue-iv>

Keywords:

Homoeopathy,
Dermatome,
Homoeopathic Medicines.

BACKGROUND

Dermatome regions of skin innervated by spinal nerve fibers, are integral to understanding nerve-related and inflammatory conditions¹. In homoeopathy, remedies are chosen based on symptomatology and their potential influence on dermatomal patterns. It plays a critical role in understanding how the nervous system communicates with the body. Each dermatome corresponds to a specific spinal segment, enabling precise mapping of nerve function and sensory input. Dermatomes helps in diagnosis of neurological disorders, pain distribution, injury and recovery, referred pain and in therapeutic application².

By examining existing literature and Materia medica, the review study explores their therapeutic relevance to dermatome dynamics, providing insights to enhance clinical application in homoeopathic practise³.

METHODOLOGY

This article examines the relationship between dermatome and homoeopathic remedies by analysing conceptual frameworks. A systemic review of literature, including clinical studies on dermatome and Materia medica was conducted to evaluate remedies. The focus is on correlating dermatomal symptom patterns with the therapeutic indications of these remedies, providing innovative insights into their application in homoeopathic practise⁴.



DISCUSSION

DEVELOPMENT OF DERMATOME CONCEPT

The dermatome concept has evolved from early anatomical mappings by Sherrington who linked specific skin regions to spinal nerves roots⁵. Initially focused on sensory innervation, the concept expanded with advances in clinical research, particularly in understanding pain and nerve pathologies like radiculopathy. Recent developments have integrated dermatomes into therapeutic frameworks, including homoeopathy, where they guide the selection of remedies for specific sensory or pain-related conditions⁶. This evolution reflects a deeper understanding of both anatomical structures and their clinical application.

IMPACT OF BODY DERMATOME

Dermatome mapping helps identify the location of nerve root compression, injuries, or infections such as in herniated discs, spinal cord lesions or shingles.

Nerve-related pain often follows dermatome patterns aiding in differentiation of conditions, pain radiates along the corresponding dermatome⁷.

Dermatome explain why internal organ dysfunction can produce referred pain in associated dermatomal region.

Dermatome are reference point for therapeutic interventions, includes nerve blocks, acupuncture and targeted physical therapy and influence homoeopathic remedies aimed at specific nerve-related conditions⁸.

DERMATOME ACCORDING TO THEIR REGION

CN V1 - forehead and nose

CN V2 –Skin over the cheek bones and maxilla (upper jaw)

CN V3 – Skin over the mandible (lowerjaw)

C1 – Posterior neck near the external occipital protuberance

C2 – Covers the posterosuperior aspect of the head

C3 – Innervates the anterior neck, posterior aspect of upper neck and head as well as the supraclavicular fossa

C4 – Provides sensation to the shoulder, the skin over the infraclavicular fossa and posterior lower neck

C5- Lateral aspect of the arm

C6 – Radial side of the forearm and the thumb

C7 – Posterior forearm and the middle finger



- T1** – Extends along the medial forearm and distal arm
- T2** – Covers the medial proximal and continues into the axilla
- T4 & T5** – Covers the nipple
- T6** – Positioned anteriorly at the level the xiphoid process
- T7-T9** – Spaced anteriorly between T6 and T10 dermatome
- T10** – Anteriorly at the level of umbilicus
- T11** – Anteriorly between the T10 and T12 dermatome
- T12** – Located in pelvic griddle
- L1** – Lateral skin near the L1 vertebra and anteriorly to groin, pelvic griddle over the inguinal canal
- L2** – Covers the anterior thigh below the inguinal canal
- L3** – Medial thigh and leg midway between L2 and L4
- L4** – Extends from lateral thigh to medial leg and foot, include the knee, big toe and medial malleolus
- L5** – Covers posterolateral part of thigh, foot include toes 2-4
- S1** – Covers the popliteal region, lateral leg and foot, heel and little foot
- S2** – Extends from buttocks to posteromedial thigh includes the penis and scrotum anteriorly
- S3** – Covers the medial buttocks, perineal area and anteriorly penis and scrotum
- S4** – Includes the perineal area and genitals
- S5** – Covers the perineal skin around the anus⁹.

HOMOEOPATHIC MEDICINAL SYMPTOMS CORRELATING WITH ACTION OF DERMATOMES

Cervical Dermatome (C1-C8)

Remedies:

1. Abrotanum

Pricking and aching pain radiates to shoulder joints to elbow and to fingers.
Worse by cold air.

2. Aconitum Napellus

Sudden neuralgic pain in the neck and shoulder with numbness
Neuralgic pain worse by dry cold air, sweat and better with warmth.

3. Arnica Montana



Bruised and lame pain in shoulders.

Worse by touch, better by rest.

4. **Arsenicum Album**

Burning pain radiates from neck to shoulder and down to arms.

Pain worse at night.

5. **Belladonna**

Shooting and congestive pain radiating to head to neck and to the arms.

Parts felt redness and hot.

Worse from touch and movement.

6. **Bromium**

Neuralgia and numbness over neck shoulder and upper arm with burning, itching and discomfort in that region corresponds to C5, C6 dermatomes.

7. **Bryonia Alba**

Sharp pain with stiffness in neck extends to arms.

Worse by motion, better by rest and pressure.

8. **Calcarea Carbonica**

Itching, eczema occur over upper chest, arms with cold chilly sensation corresponds with T2-T5 dermatome.

9. **Carbo Vegetabilis**

Cold feeling around the mouth, cheek affects the C2-C3 dermatome it appears pale and cyanotic.

10. **Cimicifuga Racemosa**

Stiffness and pain along cervical nerves, muscular pain.

Worse with cold and dampness.

11. **Conium Maculatum**

It involves numbness and radiating pain from neck to shoulder.

Worse by sudden motion.

12. **Fluoricum Acidum**

Burning and tingling sensation C5 dermatome especially in nerve impingement

Cervical nerve pain as like sharp and stabbing in nature.

13. **Gelsemium Sempervirens**

Numbness, weakness and tingling in arms.



Worse by emotions and excitement.

14. **Hypericum Perforatum**

Nerve injuries in the cervical region with burning and tingling pain.

Pain travel along cervical nerve root with sharp and lancinating sensation in neck, arm and hand.

15. **Kali Carbonicum**

Severe stabbing pain and numbness down the arms radiates from neck to arm.

Worse by touch, difficulty in turning head.

16. **Kalmia Latifolia**

Sharp and shooting pain from cervical nerves to arms associated with weakness.

17. **Rhus Toxicodendron**

Cervical nerve pain with stiffness and radiation especially after rest or immobility.

Better by warmth and movement.

18. **Ruta Graveolens**

Pain radiates from neck to arms may worsen with overuse and cold weather.

Aching pain in neck.

19. **Spigelia Anthelmia**

Sharp shooting pain in neck radiates to shoulder along nerve pathway.

Worse by motion, and better by warmth and rest.

20. **Staphysagria**

Pain starts in neck and radiates to the upper limbs particularly with emotional triggers.

A lack of control over the affected limbs.

21. **Plumbum Metallicum**

Numbness and tingling sensation of coldness in the extremities.

Pain may be severe and is aggravated by motion.

Thoracic Dermatome (T1-T12)

Remedies

1. **Abrotanum**

Nerves are incapacitated weakness around chest with internal trembling when excited.

Neuralgic pain in thoracic muscles, averse to exercise.

2. **Aconitum Napellus**



Sudden stabbing pain in the chest, back or ribs often with sensation of tightness.

Pain may radiate to the arms and worsen with cold air and at night.

3. **Arsenicum Album**

Burning pain along thoracic nerves, especially in chest, ribs and radiates to the arms

Worse at night and with cold air, better by warmth.

4. **Baryta Muriaticum**

Herpes shingles along thoracic nerves with delay healing.

5. **Bromium**

Shingles with blistering rash following the T3-T6 dermatome around the chest with burning pain and itching.

6. **Bellis Perennis**

Bruised pain in the chest, along thoracic nerve root.

Pain radiates to the sides and the person may feel sensitive to touch.

7. **Cantharis Vesicatoria**

Vesicular eruption in chest along thoracic nerve with itching and dryness.

Burning pain with eruption.

8. **Causticum**

Paralytic sensation and drawing pain in thorax.

Worse from exposure to cold air.

9. **Mezereum**

Post-herpetic neuralgia with burning pain and vesicular eruption along course of thoracic nerve.

10. **Ranunculus Bulbosus**

Sharp, stabbing intercostal pain suited for herpes zoster eruptions.

11. **Rhustoxicodendron**

Burning, tingling and stiffness along thoracic nerves.

Better with motion.

12. **Ruta Graveolens**

Pain from thoracic area radiates to arm or sides with deep sensation.

Worse by movement, bending and exertion.

13. **Spigelia**



Intense, shooting pain along the ribs, chest sometimes radiating to the arms.

It usually accompanied with sense of heaviness or tightness.

14. Sulphur

Itching, crawling and burning sensation especially in chest.

Lumbar Dermatome (L1-L5)

Remedies

1. Aconitum Napellus

Paralyzed sensation with tensive pain in lumbar region.

Worse by cold and damp weather.

2. Aesculus Hippocastanum

Aching pain in lower back radiates to hips and thighs (L4-S1).

Worsen after prolonged sitting and standing.

3. AgaricusMuscarius

Vertebrae sensitive to a hot sponge, paraplegia from congestion of lumbar part.

4. Bryonia Alba

Severe lumbar pain radiates down the legs (L5-S1), stiffness and soreness.

Worse by slightest motion, coughing, deep breathing and better by rest.

5. Bellis Perennis

Bruised, sore pain in the lumbar region extends to legs, often following injury or overexertion.

Pain can be deep and radiating, similar to sciatica.

6. Berberis Vulgaris

Neuralgicpain extending from lumbar regionto legs along sciatic nerve sharp and shooting in nature.

7. Causticum

Weakness or paralysis in lower back to legs (L4-L5 dermatome).

Worse by bending back, lifting the legs, particularly after standing or walking for a while.

8. Colocynthis

Neuralgic, cutting pain radiating down the thigh along nerve course.

Better by pressure and warmth.

9. FlouricumAcidicum



Stiffness and intense pain in lumbar region radiate to legs.

Worsen by movement and cold.

10. **GnaphaliumPolycephalum**

Sciatic nerve pain with numbness and tingling sensation in lumbar region radiates to lower extremities.

Better by lying down.

11. **Nux Vomica**

Stiffness, cramping and pain in the lower back with radiation to the legs.

Worse in the morning, after periods of inactivity.

12. **PhytolaccaDecandra**

Dull aching pain in lower back radiates down the legs (L2-L4 dermatome).

Worse by movement and prolong sitting.

13. **RhusToxicodendron**

Pain and stiffness in the lower back, with radiation to legs (L2-L4 dermatome).

Worse with first movement, when still for too long, and warmth.

14. **RutaGraveolens**

Bruised pain and paralyzed sensation in lower back after trauma, strain or injury.

15. **Sulphur**

Burning painful sensation in the lower back that radiates to the hips and legs (L2-S1 dermatome).

Pain worse with warmth, night.

16. **Tellurium Metallicum**

Shooting pain from lumbar region to thighs often with vesicular eruptions.

Sacral Dermatome (S1-S5)

Remedies

1. **Actea Spicata**

Bruised pain in sacral region

Worse by open air and debility when walking in it.

2. **AgaricusMuscarius**

Burning, tingling and spasmodic twitching in sacral region.

Worse from cold air and during winter.

3. **Argentum Nitricum**



Radiating pain in the lower back and sacrum, accompanied by numbness, tingling sensation in legs (S1-S3 dermatome).

Worse with cold.

4. **AurumMetallicum**

Deep aching pain in the sacral area or lower back, radiating into buttocks and legs (S1-S3 dermatome).

Worse by standing.

5. **Baryta Carbonica**

Numbness in sacral region radiates into the legs in the nerve course.

Sensation of instability.

6. **Chamomilla**

Severe stabbing pain in sacral area radiates to buttocks (S1-S2 dermatome).

Worse by night and touch.

7. **Causticum**

Tearing and burning pain with paralytic weakness in the sacral region.

Worse in dry, cold weather, better with warmth.

Weakness and paralysis in lower back, pain radiates to legs (S1-S3 dermatome) and numbness in legs.

8. **Cinchona Officinalis**

Weakness and aching pain in the sacral region radiate to legs (S1-S4 dermatome).

Worse by touch, better by rest.

9. **Dulcamara**

Sciatica pain radiates from back to leg especially in sacral region.

Sensitive to weather changes, worse by cold and damp weather.

10. **Kali Carbonicum**

Neuralgic pain and weakness in sacral area especially after childbirth.

11. **LedumPalustre**

Urethral herpes pain S5 dermatome.

Symptoms: Stiffness or aching pain in the sacral region, with a tendency to worsen at night. The pain may radiate down the legs and is often relieved by cold or cold compresses.

12. **PhytolaccaDecandra**



Shooting and aching pain in sacrum to thighs.

Worse in damp and cold weathers.

13. **Rhododendron**

Pain in the sacrum radiating down the legs, particularly when the weather changes (often worse during cold, damp conditions).

14. **Silicea**

Numbness, tingling or weakness in S1-S4 dermatomes particularly in the buttocks, thighs or feet.

Worsen by cold weather.

15. **Sepia Officinalis**

Dragging pain in sacrum along nerve course with weakness and bearing down sensation.

16. **ZincumMetallicum**

Neuralgic pain, numbness in sacral region.

Worse at night.

Coccygeal Dermatome

Remedies

1. **AceticumAcidum**

Diminished sensibility in coccyx region.

Bruised pain in coccygeal region.

2. **Cimicifuga Racemosa**

Coccygeal pain and stiffness.

3. **HuraBrasiliensis**

Aching pain in the coccyx, radiates to buttocks or thigh, bruising and fullness feeling in coccygeal area.

Worse in night and cold weather.

4. **Hypericum Perforatum**

Severe coccygeal pain following fall radiating along nerve pathway.

5. **Millefolium**

Pain associated with nerve irritation, radiating pain from coccyx to the perineum and thighs

Worsen by sitting and improve with movement.

**6. RutaGraveolens**

Sore and paralytic sensation in coccyx after injury or trauma.

Worse from sitting and touch.

7. Silicea

Increased sensitivity in coccyx after surgery.

8. SpigeliaAnthelmia

Sharp shooting pain that radiates along specific nerve path such as coccyx, perineum and legs with neuralgia (S5 dermatome).

9. Staphysagria

Cutting pain in the coccyx radiates to perineum and thighs.

Worse with touch and pressure.

10. Phosphrous

Burning pain radiates in coccyx extend to perineum, genitals and thigh.

It may worsen with lying on the back or sitting for long period

CONCLUSION

Dermatomes are reference point for therapeutic interventions, including nerve blocks, acupuncture, and targeted physical therapy, and also influence homoeopathic remedies aimed at specific nerve-related conditions. In homoeopathy, remedies are often employed to address dermatomal pain and inflammation aligning treatment with the body's dermatomal patterns for enhanced therapeutic outcomes.

REFERENCES

1. Whitman PA, Adigun OO. Anatomy, skin, dermatomes.
2. Downs MB, Laporte C. Conflicting dermatome maps: educational and clinical implications. Journal of orthopaedic & sports physical therapy. 2011 Jun; 41(6):427-34.
3. Boericke W. Pocket Manual of Homoeopathic MateriaMedica& Repertory: Comprising of the Characteristic and Guiding Symptoms of All Remedies (clinical and Pathogenesis [sic]) Including Indian Drugs/B. Jain Publishers (P) Ltd; 2002.
4. Kulkarni KV. A Clinical Study on 'Sciatica'ItsMiasmaticApproch and Homoeopathic Management (Doctoral dissertation, Rajiv Gandhi University of Health Sciences (India)).
5. Greenberg SA. The history of dermatome mapping. Archives of Neurology. 2003 Jan



- 1; 60(1):126-31.
6. Curley M. The Sensation in Homeopathy.
 7. Murphy DR, Hurwitz EL, Gerrard JK, Clary R. Pain patterns and descriptions in patients with radicular pain: Does the pain necessarily follow a specific dermatome? Chiropractic & osteopathy. 2009 Dec; 17:1-9.
 8. Lee MW, McPhee RW, Stringer MD. An evidence-based approach to human dermatomes. Clinical Anatomy: The Official Journal of the American Association of Clinical Anatomists and the British Association of Clinical Anatomists. 2008 Jul; 21(5):363-73.
 9. Stecco C, Pirri C, Fede C, Fan C, Giordani F, Stecco L, Foti C, De Caro R. Dermatome and fasciatome. Clinical Anatomy. 2019 Oct; 32(7):896-902.

***Address for Correspondence:**

Ishwarya.M, Final year BHMS,
Sarada Krishna Homoeopathic
Medical College, (Affiliated to
The Tamilnadu Dr. M.G.R
Medical University, Chennai),
Tamil nadu – 629161.Email:
mishwarya368@gmail.com

This article is Open Accessible
and licensed under a [Creative
Commons Attribution-
NonCommercial 4.0 International
License](#). You are welcome to use
this work non-commercially as
long as author is credited by
citing the work.

**How to cite this Article:**

M I, RA S. Homeopathic Perspectives on Dermatome Dynamic: A Review study.
International Journal for Fundamental and Interdisciplinary Research in Homoeopathy
[Internet]. 2024 Dec 30;2(4):47–56. Available from: <https://doi.org/10.59939/3048-6270.2024.v2.i4.5>